



Robrix

**A multi-platform Rust Matrix client
with custom AI mini-apps & agents**

Kevin Boos

Futurewei Technologies

[the **matrix** conference] *Malmo 2026*

A story in three parts

01 ROBRIX

A fast, powerful client for all platforms

Pure Rust, one codebase for desktop and mobile, native builds, everyday details done right.



02 MINI-APPS

Customize Robrix with generatable mini-apps

AI can create them for you, then reshape them as your needs grow. Interpreted fully at runtime.



03 AGENTS

Add intelligence: agents right in your chat rooms


Agents that read and understand your chats to do real useful work, but you're *always* in control.

Motivating example: you manage a large FOSS project, and need to watch several chat rooms for bug/crash discussions


01

The core of Robrix: a native Matrix client in pure Rust

- A flexible dockable workspace for your Matrix chats
- The same fast, powerful app experience on every platform, unrestricted
- Leverage the benefits of owning the entire software stack



If you've never heard of Robrix, my bad...



3 yrs
dev effort

3,700+
commits


18
contributors

9
releases

3rd beta release is available now (Oct 12)
on all major OSes/platforms

macOS · Windows · Linux · Android · iOS · web · OpenHarmony

What you expect from a client, plus more



Rooms, DMs, spaces

Replies + Threads

Reactions & Mentions

Edits, Pinned msgs

Full rich text formatting

Link previews

Images/GIFs, pinch-zoom

Location sharing

Read receipts, who's typing

Media/File uploads

E2EE + verification

Key backup & recovery

Built on Makepad + Robius: a Rust stack from scratch

Robrix the Matrix app, UI, logic

116K LoC Rust
14K LoC Splash UI

Makepad

GPU-accelerated
Rust UI toolkit,
+ Splash script DSL
for UI design/styling

534K LoC used

Robius

Platform abstractions:
file/media pickers,
share sheets, location,
speech (STT), auth, ...

16K LoC used

Matrix Rust SDK

Login, homeserver
sync, timelines,
encryption,
local cache

Underlying Platform APIs & OS features
macOS · Windows · Linux · Android · iOS

**No Electron, no webview,
no JavaScript, no cruft.**
All the **benefits of Rust,
for pure performance.**


275+

contributions made upstream in the last year:
Makepad, Robius, Matrix SDK, Octos agent

Robrix's own UI is **~14K lines of
Splash script**, evaluated at runtime.

LIVE DEMO

A flexible workspace for conversations



Everyday details, done right*

* ok fine, it's done how I'd want it.
... something something pet peeves

~220ms

cold start (2021 M1 MacBook Pro)

 Robrix boots and auto-restores its layout instantly.

 Fully usable offline: read messages and more.

 Your rooms list syncs and appears quickly.



A dedicated layout, per space

Each space has its own dock layout of tabs, splits, and open rooms.



Room panes, side by side, flexibly

Members, pins, and threads right beside the chat, all at once.



Make edits confidently, never lose drafts

Fix a typo mid-reply; your draft stays put, no matter how complex.



Your place in the timeline, locked down

Older messages, images, previews load without moving the view.
Even expanding/collapsing groups of events doesn't jump around.



Huge rooms, many threads, no slowdown

Scrolling through 10 rooms side-by-side? No problem.
Robrix stays smooth, even on older hardware..

Owning the entire native software stack is powerful



Every view, every feature, on any device

Use the desktop-style dock on your Android phone/foldable, or the mobile layout on your laptop. Switch instantly, lose nothing. Optimized for ultra-wide screens down to the narrowest phone.



Fine-grained UI zoom

Instant, crisp UI scaling. Choose the zoom level you want. No coarse 15-25% jumps like Electron or other apps.

UI Zoom Level:



107.5%



Dictation intermixed with any input method

Type text *and* use native speech-to-text at any time, even on mobile IMEs. Multi-language IMEs follow physical keyboard language/mode switching too. (even Flutter still can't do that...)



Native, but with the best of both worlds

iOS-style pinch zoom plus Android's double-tap-and-drag, on every device. Or, if you want it, drag-and-flick scrolling on desktop with your mouse or trackpad.



One codebase, multi-platform but lightweight

Robrix has no platform-specific code. A bug fix or feature on one platform automatically applies everywhere else. All without a heavy web engine.



Re-theme anything, live

COMING SOON

Don't like Robrix's style? Change it live at runtime. Any widget, its layout, shaders, animations, glass/blur effects, anything! Not just another color picker.

Robrix lets you keep tabs^{heh} on many conversations at once

so, for example, you can monitor all your FOSS project's discussions side-by-side
and rapidly context switch between them with ease

But ... it's still manual! 🥵

Since we own the whole stack, what else could we do?

Let's think bigger.

Even with a "perfect" app, users will always want or need another feature.
We can't pre-determine and cover all possible use cases for all eternity.

But we *can* let them build it themselves.

Custom themes? 🤔 → what about *custom apps*?

```
RoomsListEntry = View {
  draw_bg += {
    color_hover: #f4f4f4
    color_selected: #0f88fe
  }
  avatar := Avatar {}
  room_name := RoomName {}
  preview := MessagePreview {}
}
```

↓ renders as Robrix's rooms list

S

Support
 Bob: Robrix closes every time I open a thread...

2m

P

Project development
 Ana: beta.3 builds are up for testing

9:41

We realized it's all script

The UI is defined in Splash script, evaluated fully at runtime.

wait... that's powerful!



Project development room

Simple Watcher

RULES

crash
 notify: on
 reply with: "share your log?"

Watching this room.



Create a simple watcher app that watches room messages for certain keywords and notifies me or replies

Done! Here's **Simple Watcher**, a new mini-app that watches a room's messages. Run it now?

Review

Run

Not just UI, but logic too

What if you could customize not only the look of Robrix, but also its features and real functionality?

For everyone, via AI


Can AI bring those enhancements to regular non-technical users?

Democratize dev + customization!


02

Mini-apps: add custom features & UI to Robrix, fully AI-generatable and editable

- Mini-apps written in Splash, interpreted and sandboxed at runtime
- Permissions strictly enforced via a capability-like model
- Create using your favorite agent + model, share them with friends over Matrix



Custom UI & logic, right next to your conversations



25+ built-in mini-apps

Room Gallery

Translator

Link Gallery

Website Watch

Search

Room Watcher

Room Stats

Who's Here

Room Tools

Inbox

Reminder

+ yours here!



A2UI: the agent creates just the UI



A2App: the agent writes the whole mini-app, UI *and* full feature logic

Splash source → native Makepad UI widgets & app logic

Example: simple room watcher

 **Simple Watcher**

Watching this room.

☐ Silent (no notification)

RULES

crash
notify on · reply: Thanks! Could you share your log?

Source text the whole app is Splash: UI + logic + manifest



Makepad's script "VM" parsed and interpreted, no JIT



Native Makepad widgets drawn on the GPU,
just like Robrix's core UI

Isolation for each mini-app provides:

- its own script VM, heap, and private storage
- a timeslice budget per callback
- no direct access to network, files, clipboard, etc

No JIT · no native code · no subprocesses


Mini-apps and Robrix can interact bidirectionally

```
// name: Simple Watcher
// permissions: matrix-room-watch, notifications
// permissions: matrix-room-send

// mini-app → Robrix: send me this room's new messages
host.request("events.subscribe",
  {event: "on_room_message"}, fn(r){})

// Robrix → mini-app: a batch of new messages arrives
fn on_room_message(json){
  for m in json.parse_json() {
    for rule in rules {
      if !regex(rule.pattern, "i").test(m.body) { continue }
      // mini-app → Robrix: notify me, then reply in the room
      host.request("notify.post",
        {title: rule.keyword, body: m.body}, fn(r){})
      host.request("matrix.send_message",
        {body: rule.reply}, fn(r){})
    }
  }
}
```

Simplified from simple_watcher.splash, one of Robrix's built-in mini-apps



Create and edit with ease using an agent



⚡ All live at runtime: no recompiling, no restarting Robrix.



Bring your own AI model

OpenAI · Anthropic · Gemini ·
DeepSeek · OpenRouter · Ollama ·
Claude subscription (w/o key)



Keys stay in Robrix

Kept where you entered them.
The agent process never sees your
API keys.



No tools are used while generating

No access to web, shell, or files.
The agent writes Splash code as
plaintext; Robrix and the user
control everything else.

When your needs change, just change the app!

BEFORE

👁 Simple Watcher

crash

notify on · reply: share your log?

panic

notify on

Keyword to watch for

Great for the basics: one keyword per rule

 Modify with AI 

“Upgrade Simple Watcher into a new app with more complex filters that can be combined together.”



Or create a new app instead

AFTER

👁 Complex Watcher

Match **all** ▼ of these filters:

Message ▼ contains any of ▼ crash, panic, freeze

Message ▼ doesn't contain ▼ fixed

Sender ▼ is not ▼ CI bot

 Add filter Show advanced ▼

All or any · NOT · sender · type · links

Upgrade a mini-app in place, or fork a new one from the original

DEMO

Describe, refine, and run a mini-app

WATCH FOR

- Start from Simple Watcher: one keyword per rule
- Modify with AI, as a new app: “add filters”
- Validation, then an install review
- Watcher runs; Simple Watcher stays as it was




Runtime isolation is *necessary*, but not sufficient.

How do we restrict behavior of untrusted mini-apps?



A comprehensive capability-like model for permissions



Android-style declarations, iOS-style prompts.

Anything unclassified is refused. Spammy apps get throttled, then restricted.

👁 Simple Watcher needs permission

to post this message:
"Thanks! Could you share your log?"

This auto-sends predefined replies when rules match.

Approve in: **Current room** ▼

Approve duration: **Until you quit Robrix** ▼

Deny

Approve

194 capabilities across 39 permission groups

This room: read & watch

29

Room details · Read room content · Watch this room live

This room: write or act

21

Send room messages · React in this room · Manage this room · Invite to this room · Sync app data in this room

Other rooms & spaces

21

Your room list · Read other rooms · Send to other rooms · Join, leave, and start chats · Spaces

People, account & media

23

Your identity · Your account details · Change your account · Look up people · Media

Inside Roblox

25

Navigate Roblox · Prepare messages · Manage its own pane · Roblox settings · Watch user actions

Device & platform

22

Network · Location · Notifications · Clipboard · Open links · Files · Share · Authentication · Device details · Camera · Microphone

Apps & AI

12

Build and run mini-apps · Manage mini-apps · Share/import mini-apps · Register AI tools

Built in, no prompt

27

Mini-app local storage and timers · lifecycle events · background runs · event subscriptions · asking for permissions

Never, for any app

14

Screenshot Roblox · read your unsent drafts · share itself into rooms · delete others' messages · any administrative action · log you out

Permission to read/write $\neq$ permission to externalize



How do we achieve this? **Taint Tracking**

"Taint" = every private source of data **that a mini-app or agent has read.**

Information flow control via taint tracking

Fine-grained: per-capability flow contracts, per-source taint, per-recipient checks, never declassified.

TWO TAINT SETS PER CONTEXT c



Confidentiality taint $S(c)$

Exactly which private sources c has read

$S(c) \subseteq \{\text{Account}, \text{Room}(p),$
 $\text{RoomDirectory}, \text{UnknownPrivate}\}$



Integrity taint $I(c)$

Exactly which untrusted inputs have influenced c

$I(c) \subseteq \{\text{RoomContent}(p), \text{InternetOrigin}(o),$
 $\text{Model}(m), \text{MiniApp}(a), \text{RoomDirectory}, \text{Unknown}\}$

ONE FLOW CONTRACT PER CAPABILITY: SOURCE $\rightarrow$ SINK

```
matrix.room.messages.read Room(p)  $\rightarrow$  local    untrusted
matrix.room.message.send  $\emptyset \rightarrow$  Room(p)    privileged
network.http              $\emptyset \rightarrow$  origin(o)
device.clipboard.write    $\emptyset \rightarrow$  clipboard privileged
// no contract  $\rightarrow$  no authority
```

FOUR RULES, ENFORCED BY THE HOST

1

Propagate (atomic). Delivering input x to c joins its taint:

$S(c) \cup= S(x), I(c) \cup= I(x)$

Saved to storage before x arrives; if that fails, x isn't delivered.

2

Release. Output to recipient r requires

$\forall s \in S(c): r \in \text{readers}(s)$

By default $\text{readers}(\text{Room } p) = \{p\}$; you can add a model, a web origin, a room or the clipboard.

3

Act. Once $I(c) \neq \emptyset$, room writes, app launches, tool calls and non-GET requests need your approval, bound to $(c, \text{op}, \text{target}, I(c))$

4

Transfer. IPC, tool calls, app launches, and generated source carry S and I to the receiver before it runs, so taint can't be "laundered".

LLM agents: the model is *both* a recipient (rule 2 checks every call) and an untrusted source (its output adds $\text{Model}(m)$ to $I(c)$).

Prior work Denning (CACM '76) · Biba (MITRE '77) · Jif's DLM (SOSP '97) · Flume (SOSP '07) · TaintDroid (OSDI '10) · LIO (Haskell '11)

Agent-related IsolateGPT (NDSS '25) · CaMeL (arXiv '25) · FIDES (arXiv '25)

Mini-apps can react, but only agents can *understand*

NEW MESSAGES IN THE CHAT ROOM

WATCHER RESPONSE

AGENT RESPONSE

 Bob 9:41 AM Robrix closes every time I open a thread on my Pixel 8.
 Mei 9:44 AM Finally finished that Rust crash course 🤖
 Ana 9:52 AM Was startup panic fixed in beta.3? My galaxy tablet still crashes.
 CI bot 10:03 AM 🤖 Nightly build crashed on step 3.

Missed: no keyword

"closes" → crash → reply drafted

False Alert

Not a crash · skipped

Skipped: says "fixed"

"still crashes" → reply drafted

Ignored: from bot

"crashed" → notify user


 **Draft reply to Bob** NOT SENT

Thanks, Bob, and sorry! Which Robrix version are you on?
A log or screen recording would help, if you're able to send one.

03

Custom agentic workflows: agents that act for you within Robrix

- AI rooms: an agent in any Matrix room, synchronized to all your clients
- Agent permissions: plan first, approve once
- Octos: the agent harness, in a sandbox, supervised by Robrix



Meet Octos, our agent harness



An open-source agent harness, written in Rust

The model does the thinking. The harness runs everything around it: the loop of prompts, tool calls and results, context and memory, until the task is done.

HOW ROBRIX USES IT



Writes mini-apps

Turns your description into Splash logic, and auto-fixes it if validation fails. No hidden tool access.



Runs AI rooms

One agent session per AI room. Agents can only access tools Robrix provides via permission requests.

BRING YOUR OWN



AI provider

TODAY

OpenAI · Anthropic · Gemini · DeepSeek · OpenRouter · Ollama · Claude subscription




Agent harness

FUTURE

Octos is the default. Robrix supports ACP, so other harnesses could be plugged in.

Octos runs the loop; Robrix owns *capability authority*



AI rooms: the room is the session, with context

Alice Summarize the Project room and post an update to Team updates



AI turn

- ✓ Read messages in “Project”
- ✓ Posted to “Team updates”

Done: 3 decisions, 2 open questions.

Replies and tool rows are custom state events

AI agent is working on your message...

- 1 Create one, or /ai enable in any room
- 2 Only top-power members drive it
- 3 State-event replies never loop back as prompts, Syncs to other client instances for free
- 4 Survives restarts

Not E2EE: AI replies are unencrypted state events. Robrix asks before disclosing them to your homeserver.

Approve the plan, not every step

How do you avoid getting pestered by agent permission requests?

MOST AGENTS MAKE YOU CHOOSE



Approve every step

Annoying, constant pop-ups kill productivity and throughput.

OR



Bypass all permissions

Fast, but the AI might go rogue.
"Oops, I wiped your hard drive..."

OUR FIX: OFFLOAD PLANNING TO THE AGENT ITSELF

- 1 It plans the whole task first, foreseeing every permission it needs
- 2 It asks for them all up front, in one prompt; you tick what to allow
- 3 Approvals expire when the turn ends

No nagging: 3 requests per turn at most, no repeated requests.

Your AI agent is asking for access:

I'll read the recent messages in "Project", check the release notes on example.com, and post a short update to "Team updates".

▼ Details (3 items)

- ☒ Read messages in "Project" room
- ☐ Fetch a page from example.com
- ☒ Post a notice to "Team updates" room

This approval will last until this agent turn ends.

Allow

Deny once

AI does the planning, Robrix does the enforcing.

RECORDED DEMO

Catch up, review, and publish

WATCH FOR

- The agent plans the task and asks once
- One approval: read “Project”, post to “Team updates”
- The attributed notice in “Team updates”
- The activity record in the AI room



Takeaways

01 ROBRIX

A fast, native Matrix client

- Pure Rust on Makepad, Robius and the Matrix Rust SDK
- One codebase for macOS, Windows, Linux, Android, iOS, etc
- No web engine or limitations: every view & feature on any device

02 MINI-APPS

Custom apps, written by AI

- Sandboxed Splash mini-apps, interpreted at runtime
- Start simple, let AI customize your mini-app as needs grow/change
- Capability-like permissions model ensures fine-grained access control

03 AGENTS

Agents right in your rooms

- Agents understand meaning and intent, not just keywords
- Octos harness runs the loop in a sandbox; Robrix has all authority
- Plan first, approve just once
- Human users always retain control



You're always in charge.

Every mini-app and agent action goes through Robrix's permission checks. Nothing happens unless you allow it.



Robrix stays a fast, native Matrix client on its own.

AI is opt-in: never required, never forced.

What's next



Live mini-apps in the timeline

Shared mini-apps that run right inside a room
+ Matrix Widget API?



More platform abilities

Camera, microphone, notifications, etc for Robrix and mini-apps



Resource isolation

CPU & mem budgets for every app



Agent controls

More agent configs.
Bring your own harness

Download, build, try it, or contribute: github.com/project-robix/robrix

Thanks to **Gregory Terzian** · **alanpoon** · all other Robrix contributors
Rik + **Makepad** team · the **Octos** maintainers · the **GOSIM Foundation**

[the **matrix** conference] *Mahiro 2026*



Robrix

github.com/project-robious/robrix



Robrix + mini-apps & agents

github.com/a2app/robrix_a2app




Join the Robrix room!

[#robrix:matrix.org](https://matrix.org/join/robrix)

Q&A

Backup slides: details for questions

- The agent's tools and permission details
- How the agent runs, AI-room events, background tasks



Share a mini-app, keep its history



Installing a mini-app grants nothing by default



Account-wide apps run in any room; bound apps stay bound



Customized built-ins keep your edits when defaults update

The agent's 26 built-in tools

This room

send_message
draft_message
attach_media
read_room_messages
read_older_messages
room_info
read_room_memory

Other rooms & spaces

list_rooms
read_other_room_messages
post_room_message
list_spaces
space_info
list_space_rooms

Media

search_media
generate_image
draft_media
draft_file
inspect_media
post_room_media

Mini-apps

list_apps
launch_app
launch_splash_app
list_mini_app_tools
call_mini_app_tool

Web & permissions

web_fetch
request_task_permissions

26

built-in tools, plus any mini-app
tools you approve

Permission and information-flow details

Permissions

- 9 groups are granted on declaration (like Android 'normal'); 30 prompt on first use
- Blocking a group is a real kill switch
- Room and space blocks beat any app grant
- Deny means 'not now': it only asks again after your click
- Revoke anytime; running work stops

Information flow

- Recipients: AI model, homeserver, rooms, websites, clipboard
- Room data may return to the same room by default
- Public instances get no private data, not even typing
- Untrusted influence → exact approvals for risky actions
- Revocation can't recall data already sent

The 194 capabilities, by status

105

15

60

14

105 work today

Built and working. An app gets them as soon as you grant the permission.

15 change rooms

Built, but they change a room, so they also need “Allow apps to send or change rooms”, which is off by default: send, reply, react, typing indicators, mark as read, pin, favorite, invite, join.

60 designed, not built yet

Already named in the catalog and covered by its permission groups: camera, microphone, editing or deleting its own messages, system notifications.

14 never allowed

No app gets these, whatever its manifest says: screenshots of Robrix, your unsent draft, sharing itself into rooms, deleting other people's messages, logging you out.

All 194 capabilities, by category (1/2)

This room: read & watch (29)

Room details: Room details · Unread count · Room permissions · Permalink · Read the upgraded room · Room details changed · Unread count changed · Pins changed

Read room content: Recent messages · Member list · Pinned messages · Thread list · Search this room · Thread replies · Older history · One message · *Events by type* · *Reactions, edits, replies* · *Room state* · Read positions

Watch this room live: New messages · Message edited or removed · Reactions · *Events of a type* · *State changed* · Who is typing · Read receipts moved · Members changed · *You were mentioned*

This room: act (21)

Send room messages: Send a message · Reply to a message · Reply in a thread · *Edit its own message* · *Delete its own message* · *Send a file* · *Send a custom event*

React in this room: React · Typing indicator · Mark as read

Manage this room: Pin or unpin · Favorite · Low priority · Flag unread · *Change room settings* · *Read*

room notes · *Store room notes*

Invite to this room: Invite someone

Sync app data in this room: *Save app data to the room* · *Load app data from the room* · *App data arrived*

Other rooms & spaces (21)

Your room list: Your rooms · Find rooms · Pending invites · Preview a room · Room list changed · Invite received · Unread totals changed

Read other rooms: Details of another room · Messages in another room · Search across rooms · *New messages in picked rooms*

Send to other rooms: Send to another room

Join, leave and start chats: Join or knock · Answer an invite · Start a direct message · *Leave this room* · *Create a room*

Spaces: Your spaces · Space details · Rooms in a space · *Space changed*

People, account & media (23)

Your identity: Your identity · *Identity changed*

Your account details: This device · Account info · *Read app account data* · Read your ignore list · *App account*

data changed

Change your account: *Change your name* · *Change your avatar* · *Block or unblock someone* · *Store app account data*

Look up people: Look up a user · Find an existing DM · *Find people* · *Presence*

Media: Read an attachment · *Download to disk* · *Share an attachment* · *Avatars* · *Link preview* · Upload media · Post media · *Upload progress hook*

All 194 capabilities, by category (2/2)

Inside Robrix (25)

Navigate Robrix: Open a room · Jump to a message · Open a thread · Show a profile · Open a space · Open a screen · Open a Matrix link in-app · Open another mini-app

Prepare messages: Draft a message for you · Attach media for you · Set reply target

Its own pane: *Preferred size* · Choose dock side · Pop out its pane · Minimize its pane · Restore its pane · *Pane title* · *Badge its pane or tab* · *Keyboard focus*

Robrix settings: Display settings · *Theme tokens* · Display settings changed · *Theme changed*

Watch what you're doing: Know which room you switch to · Know which screen you switch to

Device & platform (22)

Network: HTTP requests

Location: Current location · *Location updates*

Notifications: Show a popup · Clear its popups · *System notification* · *Popup tapped*

Read Clipboard: Read clipboard

Write Clipboard: Write clipboard

Open Links: Open a link

Files: Pick a file · Save a file · *Pick a binary file*

Share: Share text · *Share a file*

Authentication: Confirm it's you

Device details: Device facts · *Online or offline* · *Connectivity changed* · *Sync state changed*

Camera: *Take a photo*

Microphone: *Record audio*

Apps & AI (12)

App Messaging: Message another app · Post without a receipt · Receive app messages · *Ask another app* · *Answer another app* · Apps that accept messages

Build and run mini-apps: Build and run a mini-app

Open your mini-apps: List installed mini-apps · Open an installed mini-app

Register AI tools: Register an AI tool · Remove an AI tool · The AI called a tool

Built in, no prompt (27)

App environment · Check its grants · Ask for permissions · Read private storage · Write private storage · *Per-instance storage* · Storage usage · Timers · Finish a background run · Background task trigger ·

Message its other instances · Subscribe to an event family · Unsubscribe · Its pane state · Quit itself · *Host confirm dialog* · Pane resized · Grants changed · Foreground changed · *Visibility changed* · Moved between surfaces · *Suspend* · *Resume* · *Quit* · *Memory pressure* · *Launch context hook* · Answer an AI tool call

Never, for any app (14)

Manage installed apps · Leave a space · Log out, verify, manage the account · Leave any room by id · Share itself into a room · Delete other people's messages · Change power levels or membership state · Read the unsent draft · Rewrite outgoing messages · Change Robrix settings · Clear caches or run diagnostics · Screenshot the host · To-device messaging · Identity token

How the agent runs

Sandboxed process

- macOS and Linux
- OS sandbox: no keys, network, files or subprocesses
- Fails closed without a sandbox

App extension

- Apple platforms
- System-hosted, reached over XPC
- Preferred when installed

Embedded

- Where subprocesses aren't allowed
- Octos on a thread inside Robrix
- Same guarded transport and tools

Providers: OpenAI · Anthropic · Gemini · DeepSeek · Moonshot · Groq · OpenRouter · Ollama · custom, plus a Claude Code subscription on desktop

Background work, same controls



Keyword Alert

Room: **Project**

When: **new room messages arrive**

Status: **Enabled**

Pause

Run now

Details

TRIGGERS

Every N minutes (60 s minimum)

A one-time alarm

New messages in one room

- Keeps its room and saved state
- Same permissions; never prompts
- Tied to that exact version of the code

Robrix must be running and signed in. These are scheduled mini-app workers, not autonomous agents.

An agent reads for meaning



Assistant

Check the Support room for new Android crash reports. Alert me, and draft a reply to each.



AI turn

✓ Read messages in "Support"

2 Android crash reports need you:

- Bob, Pixel 8: closes when he opens a thread
- Ana, Android tablet: the startup panic is still there in beta.3

Skipped: a Rust crash course, and the CI bot. Drafts are ready; nothing was posted.

Write a message (in Markdown) ...



Draft replies

NOT SENT

To Bob

Thanks, Bob, and sorry! Which Robrix version are you on? A log or screen recording would help.


To Ana

Thanks, Ana! Sorry it still crashes. Could you share a log from your tablet?

You send them, or approve the agent posting them.

It reads intent, not keywords: Bob never wrote "crash".

When untrusted content steers the agent



The model was fooled. Robrix wasn't.

AI-room event model

Output as state events

ai_reply per turn, ai_turn progress, ai_activity tool rows; never re-read as prompts

Who drives it

Only m.text from members at the top power level; thread replies are skipped

Restart continuity

A forwarding cursor in room account data, plus read_room_memory; not the live session

Privacy

Cards are plaintext state; Robrix asks before disclosing their sources to the homeserver